


CX Grade

HMGB1 monoclonal antibody (M01J), clone 1E6-E10

Catalog # H00003146-M01J

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of HMGB1 expression in transfected 293T cell line by HMGB1 monoclonal antibody (M01J), clone 1E6-E10.


Lane 1: HMGB1 transfected lysate (Predicted MW: 24.9 KDa).

Lane 2: Non-transfected lysate.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to HMGB1 on formalin-fixed paraffin-embedded human stomach. [antibody concentration 3 ug/ml]




Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged HMGB1 is 0.1 ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to HMGB1 on HeLa cell .
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (49.39 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a full-length recombinant HMGB1. This product is belong to Cell Culture Grade Antibody (CX Grade).
Immunogen	HMGB1 (AAH03378.1, 1 a.a. ~ 215 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MGKGDPKKPRGKMSSYAFFVQTCREEHKKKHPDASVNFSEFSKKCSERWKTMSAKEKGKFED MAKADKARYEREMKTYIPPKGETKKKFKDPNAPKRPPSAFFLFCSEYRPKIKGEHPGLSIGDVAK KLGEMWNNTAADDKQPYEKKAALKKEYEKDIAAYRAKGKPDAAKKGVVKAESKSKKKKEEEEED EEDEEDEEEEEDEEDEDDEEDDDDE
Host	Mouse
Reactivity	Human
Preparation Method	Cell Culture Production
Isotype	IgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (49.39 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of HMGB1 expression in transfected 293T cell line by HMGB1 monoclonal antibody (M01J), clone 1E6-E10.

Lane 1: HMGB1 transfected lysate (Predicted MW: 24.9 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to HMGB1 on formalin-fixed paraffin-embedded human stomach. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged HMGB1 is 0.1 ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

- Immunofluorescence

Immunofluorescence of monoclonal antibody to HMGB1 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — HMGB1

Entrez GeneID	3146
---------------	----------------------

GeneBank Accession#	BC003378.1
---------------------	----------------------------

Protein Accession#	AAH03378.1
--------------------	----------------------------

Gene Name	HMGB1
-----------	-------

Gene Alias	DKFZp686A04236, HMG1, HMG3, SBP-1
------------	-----------------------------------

Gene Description	high-mobility group box 1
------------------	---------------------------

Omim ID [163905](#)

Gene Ontology [Hyperlink](#)

Other Designations Amphoterin|OTTHUMP00000018199|OTTHUMP00000190860|Sulfoglucuronyl carbohydrate binding protein|high mobility group box 1|high mobility group protein 1|high-mobility group (nonhistone chromosomal) protein 1

Pathway

- [Base excision repair](#)

Disease

- [Bone Marrow Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Hematologic Neoplasms](#)
- [Puerperal Disorders](#)
- [Recurrence](#)
- [Sepsis](#)
- [Streptococcal Infections](#)
- [Systemic Inflammatory Response Syndrome](#)