


TUBA1 monoclonal antibody (M01), clone 2E11


Catalog # H00007277-M01 Size 100 ug

Applications




Western Blot (Cell lysate)

TUBA1 monoclonal antibody (M01), clone 2E11. Western Blot analysis of TUBA1 expression in HeLa.



Western Blot (Cell lysate)

TUBA1 monoclonal antibody (M01), clone 2E11. Western Blot analysis of TUBA1 expression in different Cell lines and Human Tissue.




Western Blot (Transfected lysate)

Western Blot analysis of TUBA1 expression in transfected 293T cell line by TUBA1 monoclonal antibody (M01), clone 2E11.

Lane 1: TUBA1 transfected lysate(49.9 KDa).


Lane 2: Non-transfected lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunoperoxidase of monoclonal antibody to TUBA1 on formalin-fixed paraffinembedded human testis. [antibody concentration 3 ug/ml]





RNAi Knockdown (Antibody validated)

Western blot analysis of TUBA1 over-expressed 293 cell line, cotransfected with TUBA1 Validated Chimera RNAi (Cat # H00007277-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with TUBA1 monoclonal antibody (M01), clone 2E11 (Cat # H00007277-M01). GAPDH (36.1 kDa) used as specificity and loading control.



Immunofluorescence

Immunofluorescence of monoclonal antibody to TUBA1 on HeLa cell. [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (75.02 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a full length recombinant TUBA1.
Immunogen	TUBA1 (AAH09238, 1 a.a. \sim 448 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MRECISVHVGQAGVQMGNACWELYCLEHGIQPDGQMPSDKTIGGGDDSFTTFFCETGAGKHVP RAVFVDLEPTVIDEIRNGPYRQLFHPEQLITGKEDAANNYARGHYTIGKEIIDPVLDRIRKLSDQCTGL QGFLVFHSFGGGTGSGFTSLLMERLSVDYGKKSKLEFSIYPAPQVSTAVVEPYNSILTTHTTLEHS DCAFMVDNEAIYDICRRNLDIERPTYTNLNRLISQIVSSITASLRFDGALNVDLTEFQTNLVPYPRIHF PLATYAPVISAEKAYHEQLSVAEITNACFEPANQMVKCDPRHGKYMACCLLYRGDVVPKDVNAAI AAIKTKRSIQFVDWCPTGFKVGINYQPPTVVPGGDLAKVQRAVCMLSNTTAIAEAWARLDHKFDL MYAKRAFVHWYVGEGMEEGEFSEAREDMAALEKDYEEVGIDSYEDEDEGEE
Host	Mouse



Product Information

Reactivity	Human
Isotype	lgG2b kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (75.02 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Cell lysate)

TUBA1 monoclonal antibody (M01), clone 2E11. Western Blot analysis of TUBA1 expression in HeLa.

Protocol Download

Western Blot (Cell lysate)

TUBA1 monoclonal antibody (M01), clone 2E11. Western Blot analysis of TUBA1 expression in different Cell lines and Human Tissue.

Protocol Download

Western Blot (Transfected lysate)

Western Blot analysis of TUBA1 expression in transfected 293T cell line by TUBA1 monoclonal antibody (M01), clone 2E11.

Lane 1: TUBA1 transfected lysate(49.9 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

Western Blot (Recombinant protein)

Protocol Download

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to TUBA1 on formalin-fixed paraffin-embedded human testis. [antibody concentration 3 ug/ml]

Protocol Download

ELISA



RNAi Knockdown (Antibody validated)

Western blot analysis of TUBA1 over-expressed 293 cell line, cotransfected with TUBA1 Validated Chimera RNAi (Cat # H00007277-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with TUBA1 monoclonal antibody (M01), clone 2E11 (Cat # H00007277-M01). GAPDH (36.1 kDa) used as specificity and loading control.

Protocol Download

Immunofluorescence

Immunofluorescence of monoclonal antibody to TUBA1 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — TUBA4A	
Entrez GenelD	<u>7277</u>
GeneBank Accession#	BC009238
Protein Accession#	AAH09238
Gene Name	TUBA4A
Gene Alias	FLJ30169, H2-ALPHA, TUBA1
Gene Description	tubulin, alpha 4a
Omim ID	<u>191110</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Microtubules of the eukaryotic cytoskeleton perform essential and diverse functions and are comp osed of a heterodimer of alpha and beta tubulin. The genes encoding these microtubule constitue nts are part of the tubulin superfamily, which is composed of six distinct families. Genes from the a lpha, beta and gamma tubulin families are found in all eukaryotes. The alpha and beta tubulins rep resent the major components of microtubules, while gamma tubulin plays a critical role in the nucle ation of microtubule assembly. There are multiple alpha and beta tubulin genes and they are highly conserved among and between species. This gene encodes an alpha tubulin that is a highly con served homolog of a rat testis-specific alpha tubulin. [provided by RefSeq
Other Designations	tubulin alpha-1 chain tubulin, alpha 1 (testis specific)

Pathway

- Gap junction
- Pathogenic Escherichia coli infection EHEC



Disease

Diabetes Mellitus