


RB1 (phospho S807) monoclonal antibody, clone 5H12


Catalog # MAB0005 Size 100 ug

Applications




Western Blot (Tissue lysate)

RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).
Western blot analysis of pRb in human stomach.




Western Blot (Cell lysate)

Western blot analysis of in extracts from MOLT 4 cell using RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).



Immunoprecipitation

IP-Western in HL-60 cell lysate using RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).



Enzyme-linked Immunoabsorbent Assay

ELISA measurement of recombinant Cdk4-CyclinD kinase activity using RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).

Specification

Product Description	Mouse monoclonal antibody raised against synthetic phosphopeptide of Rb.
Immunogen	Synthetic phosphopeptide (conjugated with KLH) corresponding to residues surrounding S807 of human Rb.
Host	Mouse
Reactivity	Human
Form	Liquid
Isotype	IgG1
Quality Control Testing	Phospho-Rb Ser807 Antibody detects endogenous Rb protein only when phosphorylated at Serine 807.
Recommend Usage	Western Blot (1-2 ug/mL) Immunoprecipitation (2-4 ug/mL) ELISA (5-10 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM phosphate buffer, 150 mM NaCl, pH 7.5 (50% glycerol)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005). Western blot analysis of pRb in human stomach.

[Protocol Download](#)

- Western Blot (Cell lysate)

Western blot analysis of in extracts from MOLT 4 cell using RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).

- Immunoprecipitation

IP-Western in HL-60 cell lysate using RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).

- Enzyme-linked Immunoabsorbent Assay

ELISA measurement of recombinant Cdk4-CyclinD kinase activity using RB1 (phospho S807) monoclonal antibody, clone 5H12 (Cat # MAB0005).

Gene Info — RB1

Entrez GeneID [5925](#)

GeneBank Accession# [NM_000321](#)

Protein Accession# [NP_000312](#)

Gene Name RB1

Gene Alias OSRC, RB, p105-Rb, pRb, pp110

Gene Description retinoblastoma 1

Omim ID [109800](#) [180200](#) [259500](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene is a negative regulator of the cell cycle and was the first tumor suppressor gene found. The encoded protein also stabilizes constitutive heterochromatin to maintain the overall chromatin structure. The active, hypophosphorylated form of the protein binds transcription factor E2F1. Defects in this gene are a cause of childhood cancer retinoblastoma (RB), bladder cancer, and osteogenic sarcoma. [provided by RefSeq]

Other Designations OTTHUMP00000018397|retinoblastoma susceptibility protein|retinoblastoma-associated protein

Pathway

- [Bladder cancer](#)
- [Cell cycle](#)
- [Chronic myeloid leukemia](#)
- [Glioma](#)
- [Melanoma](#)
- [Non-small cell lung cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)

Disease

- [Adenocarcinoma](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Chromosomal Instability](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)
- [Colorectal Neoplasms](#)
- [Cystadenocarcinoma](#)
- [Disease Progression](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Liver Neoplasms](#)

- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Neoplasm Invasiveness](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Retinal Neoplasms](#)
- [Retinoblastoma](#)
- [Tobacco Use Disorder](#)