


CHUK polyclonal antibody


Catalog # PAB28431 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human testis with CHUK polyclonal antibody (Cat # PAB28431) shows strong cytoplasmic positivity in cells of seminiferous ducts.



Immunofluorescence

Immunofluorescent staining of A-431 with CHUK polyclonal antibody (Cat # PAB28431) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli & cytoplasm.

Specification

Product Description	Rabbit polyclonal antibody raised against recombinant CHUK.
Immunogen	Recombinant protein corresponding to amino acids of recombinant CHUK.
Sequence	HTVQSQDRVLKELFGHLSKLLGCKQKIIDLLPKVEVALSNIKEADNTVMFMQGKRQKEIWHLLKIAC TQSSARSLVGSSLEGAVTPQTSAWLPPTSAEHDHSLSCVVTPQDGETSAQMIEENLNCLGHLSTII HEANEEQGNMNM
Host	Rabbit

Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry(1:200-1:500) Immunofluorescence (1-4 ug/ml) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human testis with CHUK polyclonal antibody (Cat # PAB28431) shows strong cytoplasmic positivity in cells of seminiferous ducts.

- Immunofluorescence

Immunofluorescent staining of A-431 with CHUK polyclonal antibody (Cat # PAB28431) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli & cytoplasm.

Gene Info — CHUK

Entrez GeneID	1147
Protein Accession#	Q15111
Gene Name	CHUK
Gene Alias	IKBKA, IKK-alpha, IKK1, IKKA, NFKB1A, TCF16
Gene Description	conserved helix-loop-helix ubiquitous kinase
Omim ID	600664
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a member of the serine/threonine protein kinase family. The encoded protein, a component of a cytokine-activated protein complex that is an inhibitor of the essential transcription factor NF-kappa-B complex, phosphorylates sites that trigger the degradation of the inhibitor via the ubiquitination pathway, thereby activating the transcription factor. [provided by RefSeq]

Other Designations

I-kappa-B kinase 1|I-kappa-B kinase-alpha|IKK-alpha kinase|I-kappa-B kinase alpha subunit|Nuclear factor NF-kappaB inhibitor kinase alpha|OTTHUMP00000020273|conserved helix-loop ubiquitous kinase

Pathway

- [Acute myeloid leukemia](#)
- [Adipocytokine signaling pathway](#)
- [Apoptosis](#)
- [B cell receptor signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Chronic myeloid leukemia](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [MAPK signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)
- [T cell receptor signaling pathway](#)
- [Toll-like receptor signaling pathway](#)

Disease

- [Alzheimer Disease](#)
- [Arthritis](#)
- [Asthma](#)

- [Atherosclerosis](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cerebral Hemorrhage](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Fatty Liver](#)
- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [Hodgkin Disease](#)
- [Hypertension](#)
- [Infant](#)
- [Intracranial Hemorrhages](#)
- [Kidney Failure](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Multiple Myeloma](#)
- [Occupational Diseases](#)
- [Respiratory Syncytial Virus Infections](#)

- [Stroke](#)
- [Subarachnoid Hemorrhage](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)