


ACPP polyclonal antibody


Catalog # PAB2990 Size 400 uL

Applications



Western Blot (Tissue lysate)

Western blot analysis of ACPP polyclonal antibody (Cat # PAB2990) in mouse lung tissue lysates (35 ug/lane). ACPP (arrow) was detected using the purified polyclonal antibody.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human lung carcinoma reacted with ACPP polyclonal antibody (Cat # PAB2990), which was peroxidase-conjugated to the secondary antibody, followed by AEC staining.

This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of ACPP.
Immunogen	A synthetic peptide (conjugated with KLH) corresponding to C-terminus of human ACPP.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Ammonium sulfate precipitation

Recommend Usage	Western Blot (1:1000) Immunohistochemistry (1:10-50) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

Western blot analysis of ACPD polyclonal antibody (Cat # PAB2990) in mouse lung tissue lysates (35 ug/lane). ACPD (arrow) was detected using the purified polyclonal antibody.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human lung carcinoma reacted with ACPD polyclonal antibody (Cat # PAB2990), which was peroxidase-conjugated to the secondary antibody, followed by AEC staining.

This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Gene Info — ACPD

Entrez GeneID	55
Protein Accession#	NP_001090;P15309
Gene Name	ACPD
Gene Alias	ACP-3, ACP3, PAP
Gene Description	acid phosphatase, prostate
Omim ID	171790
Gene Ontology	Hyperlink
Gene Summary	This gene encodes an enzyme that catalyzes the conversion of orthophosphoric monoester to alcohol and orthophosphate. It is synthesized under androgen regulation and is secreted by the epithelial cells of the prostate gland. An alternatively spliced transcript variant encoding a longer isoform has been found for this gene. This isoform contains a transmembrane domain and is localized in the plasma membrane-endosomal-lysosomal pathway. [provided by RefSeq]
Other Designations	prostatic acid phosphatase

Publication Reference

- [Prostatic acid phosphatase is not a prostate specific target.](#)

Quintero IB, Araujo CL, Pulkka AE, Wirkkala RS, Herrala AM, Eskelinen EL, Jokitalo E, Hellstrom PA, Tuominen HJ, Hirvikoski PP, Vihko PT.

Cancer Research 2007 Jul; 67(14):6549.

Application: IEM, IF, IHC, Human, LNCaP, SW-10 cells, Human skeletal muscle

- [Identification of HLA-DRB1*1501-restricted T-cell epitopes from human prostatic acid phosphatase.](#)

Klyushnenkova EN, Kouivaskaia DV, Kodak JA, Vandenbark AA, Alexander RB.

Prostate 2007 Jul; 67(10):1019.

- [The Rab27a-binding protein, JFC1, regulates androgen-dependent secretion of prostate-specific antigen and prostatic-specific acid phosphatase.](#)

Johnson JL, Ellis BA, Noack D, Seabra MC, Catz SD.

The Biochemical Journal 2005 Nov; 391(Pt 3):699.

Application: IF, Human, LNCaP cells

Pathway

- [gamma-Hexachlorocyclohexane degradation](#)
- [Riboflavin metabolism](#)

Disease

- [Tobacco Use Disorder](#)