


RecomAb™

CD40 recombinant monoclonal antibody, clone G28.5

Catalog # RAB03271 Size 200 ug


Applications



Flow Cytometry

Flow cytometric analysis of cynomolgus monkey lymphocytes with CD40 recombinant monoclonal antibody, clone G28.5 (Cat # RAB03271).


Cynomolgus monkey lymphocytes were stained with an isotype control (3.0- panel A) or the rmeric version of RAB03271 (panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing- bound antibody was detected using a AF488 conjugated donkey anti-ribody (and cells analysed on a FACSCanto flow-cytometer.



Flow Cytometry

Flow cytometric analysis of human lymphocytes with CD40 recombinant monoclonal antibody, clone G28.5 (Cat # RAB03271).

Human lymphocytes were stained with an isotype control (3.0- panel A) or the rmeric version of RAB03271 (panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing- bound antibody was detected using a AF488 conjugated donkey anti-ribody (and cells analysed on a FACSCanto flow-cytometer.



Flow Cytometry

Flow cytometric analysis of rhesus monkey lymphocytes with CD40 recombinant monoclonal antibody, clone G28.5 (Cat # RAB03271).

Rhesus monkey lymphocytes were stained with an isotype control (3.0- panel A) or the rmeric version of RAB03271 (panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing- bound antibody was detected using a AF488 conjugated donkey anti-ribody (and cells analysed on a FACSCanto flow-cytometer.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human CD40.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against human erythrocyte-rosette-negative tonsillar lymphocytes.
Reactivity	Human
Form	Liquid
Isotype	IgG kappa
Recommend Usage	Flow Cytometry Immunohistochemistry Immunoprecipitation The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% Proclin 300)
Storage Instruction	Store at 4°C for 3 months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Immunohistochemistry
- Immunoprecipitation
- Flow Cytometry

Flow cytometric analysis of cynomolgus monkey lymphocytes with CD40 recombinant monoclonal antibody, clone G28.5 (Cat # RAB03271).

Cynomolgus monkey lymphocytes were stained with an isotype control (3.0- panel A) or the rmeric version of RAB03271 (panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing- bound antibody was detected using a AF488 conjugated donkey anti-ribody (and cells analysed on a FACSCanto flow-cytometer.

- Flow Cytometry

Flow cytometric analysis of human lymphocytes with CD40 recombinant monoclonal antibody, clone G28.5 (Cat # RAB03271). Human lymphocytes were stained with an isotype control (3.0- panel A) or the rmeric version of RAB03271 (panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing- bound antibody was detected using a AF488 conjugated donkey anti-ribody (and cells analysed on a FACSCanto flow-cytometer.

- Flow Cytometry

Flow cytometric analysis of rhesus monkey lymphocytes with CD40 recombinant monoclonal antibody, clone G28.5 (Cat # RAB03271).

Rhesus monkey lymphocytes were stained with an isotype control (3.0- panel A) or the rimeric version of RAB03271 (panel B) at a concentration of 1 ug/ml for 30 mins at RT. After washing- bound antibody was detected using a AF488 conjugated donkey anti-ribody (and cells analysed on a FACSCanto flow-cytometer.

Gene Info — CD40

Entrez GeneID

[958](#)

Gene Name

CD40

Gene Alias

Bp50, CDW40, MGC9013, TNFRSF5, p50

Gene Description

CD40 molecule, TNF receptor superfamily member 5

Omim ID

[109535 606843](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor has been found to be essential in mediating a broad variety of immune and inflammatory responses including T cell-dependent immunoglobulin class switching, memory B cell development, and germinal center formation. AT-hook transcription factor AKNA is reported to coordinately regulate the expression of this receptor and its ligand, which may be important for homotypic cell interactions. Adaptor protein TNFR2 interacts with this receptor and serves as a mediator of the signal transduction. The interaction of this receptor and its ligand is found to be necessary for amyloid-beta-induced microglial activation, and thus is thought to be an early event in Alzheimer disease pathogenesis. Two alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq]

Other Designations

B cell surface antigen CD40|B cell-associated molecule|CD40 antigen|CD40 antigen (TNF receptor superfamily member 5)|CD40 type II isoform|CD40L receptor|OTTHUMP00000031699|OTTHUMP00000031700|nerve growth factor receptor-related B-lymphocyte activation mol

Pathway

- [Allograft rejection](#)
- [Asthma](#)
- [Autoimmune thyroid disease](#)
- [Cell adhesion molecules \(CAMs\)](#)

- [Cytokine-cytokine receptor interaction](#)
- [Primary immunodeficiency](#)
- [Systemic lupus erythematosus](#)
- [Toll-like receptor signaling pathway](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Autoimmune Diseases](#)
- [Brain Ischemia](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Colitis](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Disease Progression](#)
- [Drug Eruptions](#)
- [Edema](#)
- [Endometriosis](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Hashimoto Disease](#)

- [Hematologic Diseases](#)
- [Hepatitis B](#)
- [Hodgkin Disease](#)
- [Hypertension](#)
- [Infant](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Myeloma](#)
- [Multiple Sclerosis](#)
- [Myasthenia Gravis](#)
- [Occupational Diseases](#)
- [Pemphigus](#)
- [Pulmonary Disease](#)
- [Recurrence](#)
- [Respiratory Syncytial Virus Infections](#)
- [Rupture](#)
- [Stroke](#)
- [Thyroiditis](#)
- [Urinary Bladder Neoplasms](#)
- [Waldenstrom Macroglobulinemia](#)
- [Wegener Granulomatosis](#)
- [Werner syndrome](#)