


IFNGR1 (Human) IP-WB Antibody Pair

Catalog # H00003459-PW2

Size 1 Set

Applications



Immunoprecipitation of IFNGR1 transfected lysate using rabbit polyclonal anti-IFNGR1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-IFNGR1.

Specification

Product Description

This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity

Human

Quality Control Testing

Immunoprecipitation-Western Blot (IP-WB)

Immunoprecipitation of IFNGR1 transfected lysate using rabbit polyclonal anti-IFNGR1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-IFNGR1.

Supplied Product

Antibody pair set content:

1. Antibody pair for IP: rabbit polyclonal anti-IFNGR1 (300 ul)
2. Antibody pair for WB: mouse purified polyclonal anti-IFNGR1 (50 ug)

Storage Instruction

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- Immunoprecipitation-Western Blot

[Protocol Download](#)

Gene Info — IFNGR1

Entrez GeneID	3459
Gene Name	IFNGR1
Gene Alias	CD119, FLJ45734, IFNGR
Gene Description	interferon gamma receptor 1
Omim ID	107470 209950 600263 607948
Gene Ontology	Hyperlink
Gene Summary	This gene (IFNGR1) encodes the ligand-binding chain (alpha) of the gamma interferon receptor. Human interferon-gamma receptor is a heterodimer of IFNGR1 and IFNGR2. A genetic variation in IFNGR1 is associated with susceptibility to Helicobacter pylori infection. In addition, defects in IFNGR1 are a cause of mendelian susceptibility to mycobacterial disease, also known as familial disseminated atypical mycobacterial infection. [provided by RefSeq]
Other Designations	AVP, type 2 CD119 antigen OTTHUMP00000017285 antiviral protein, type 2 immune interferon receptor 1 interferon-gamma receptor alpha chain

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)

Disease

- [Acquired Immunodeficiency Syndrome](#)
- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Bronchial Hyperreactivity](#)

- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cataract](#)
- [Chorioamnionitis](#)
- [Chronic Disease](#)
- [Coronary Artery Disease](#)
- [Coronary Restenosis](#)
- [Coronary Stenosis](#)
- [Dermatitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Drug Hypersensitivity](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fetal Membranes](#)
- [Gastritis](#)
- [Genetic Predisposition to Disease](#)
- [Giant Cell Arteritis](#)
- [Graft vs Host Disease](#)
- [Helicobacter Infections](#)
- [Hepatitis B](#)
- [Hepatitis C](#)
- [Hypersensitivity](#)

- [Inflammation](#)
- [Kidney Failure](#)
- [Leishmaniasis](#)
- [Leprosy](#)
- [Leukemia](#)
- [Liver Cirrhosis](#)
- [Lung Diseases](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lymphadenitis](#)
- [Lymphoma](#)
- [Malaria](#)
- [Metabolic Syndrome X](#)
- [Multiple Sclerosis](#)
- [Mycobacterium avium-intracellulare Infection](#)
- [Mycobacterium Infections](#)
- [Narcolepsy](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Paratyphoid Fever](#)
- [Periodontitis](#)
- [Postoperative Complications](#)
- [Precancerous Conditions](#)

- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Rhinitis](#)
- [Sarcoidosis](#)
- [Severe combined immunodeficiency](#)
- [Stomach Neoplasms](#)
- [Subacute Sclerosing Panencephalitis](#)
- [Tuberculosis](#)
- [Typhoid Fever](#)
- [Urinary Bladder Neoplasms](#)
- [Viremia](#)
- [Werner syndrome](#)