


TNFRSF9 monoclonal antibody (M04), clone 4H4

Catalog # H00003604-M04

Size 100 ug

Applications



Western Blot (Cell lysate)

TNFRSF9 monoclonal antibody (M04), clone 4H4. Western Blot analysis of TNFRSF9 expression in Jurkat.

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant TNFRSF9.
Immunogen	TNFRSF9 (AAH06196.1, 24 a.a. ~ 186 a.a) partial recombinant protein.
Sequence	LQDPCSNCPAGTFCDNNRNQICSPCPPNSFSSAGGQRTCDICRQCKGVFRTRKECSSTSNAEC DCTPGFHCLGAGCSMCEQDCKQGQELTKKGCKDCCFGTFNDQKRGICRPWTNCSLDGKSVLV NGTKERDVVCGPSPADLSPGASSVTPPAPAREPGHSPQ
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (59); Rat (59)
Isotype	IgM Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

TNFRSF9 monoclonal antibody (M04), clone 4H4. Western Blot analysis of TNFRSF9 expression in Jurkat.

[Protocol Download](#)

- ELISA

Gene Info — TNFRSF9

Entrez GeneID	3604
GeneBank Accession#	BC006196.1
Protein Accession#	AAH06196.1
Gene Name	TNFRSF9
Gene Alias	4-1BB, CD137, CDw137, ILA, MGC2172
Gene Description	tumor necrosis factor receptor superfamily, member 9
Omim ID	602250
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contributes to the clonal expansion, survival, and development of T cells. It can also induce proliferation in peripheral monocytes, enhance T cell apoptosis induced by TCR/CD3 triggered activation, and regulate CD28 co-stimulation to promote Th1 cell responses. The expression of this receptor is induced by lymphocyte activation. TRAF adaptor proteins have been shown to bind to this receptor and transduce the signals leading to activation of NF-kappaB. [provided by RefSeq]
Other Designations	4-1BB ligand receptor CD137 antigen OTTHUMP00000001360 OTTHUMP000000044294 T cell antigen ILA homolog of mouse 4-1BB induced by lymphocyte activation (ILA) interleukin-activated receptor, homolog of mouse Ly63 receptor protein 4-1BB

Pathway

- [Cytokine-cytokine receptor interaction](#)

Disease

- [Asthma](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Lymphoproliferative Disorders](#)
- [Multiple Myeloma](#)
- [Occupational Diseases](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)