


MAPK8 monoclonal antibody (M05), clone 4H5

Catalog # H00005599-M05 Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of MAPK8 expression in transfected 293T cell line by MAPK8 monoclonal antibody (M05), clone 4H5.


Lane 1: MAPK8 transfected lysate(48.3 KDa).

Lane 2: Non-transfected lysate.



Immunoprecipitation

Immunoprecipitation of MAPK8 transfected lysate using anti-MAPK8 monoclonal antibody and Protein A Magnetic Bead, and immunoblotted with MAPK8 MaxPab rabbit polyclonal antibody.



Western Blot detection against Immunogen (38.21 KDa).

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant MAPK8.



Product Information

Immunogen	MAPK8 (NP_620637, 318 a.a. ~ 427 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	HPYINVWYDPSEAEAPPPKIPDKQLDEREHTIEEWKELIYKEVMDLEERTKNGVIRGQPSPLGAAVI NGSQHPSSSSSVNDVSSMSTDPTLASDTDSSLEAAAGPLGCCR
Host	Mouse
Reactivity	Human
Isotype	lgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (38.21 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Transfected lysate)

Western Blot analysis of MAPK8 expression in transfected 293T cell line by MAPK8 monoclonal antibody (M05), clone 4H5.

Lane 1: MAPK8 transfected lysate(48.3 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

Western Blot (Recombinant protein)

Protocol Download

Immunoprecipitation

Immunoprecipitation of MAPK8 transfected lysate using anti-MAPK8 monoclonal antibody and Protein A Magnetic Bead, and immunoblotted with MAPK8 MaxPab rabbit polyclonal antibody.

Protocol Download

ELISA

Gene Info — MAPK8

Entrez GeneID

<u>5599</u>



Product Information

GeneBank Accession#	<u>NM_139049</u>
Protein Accession#	NP_620637
Gene Name	MAPK8
Gene Alias	JNK, JNK1, JNK1A2, JNK21B1/2, PRKM8, SAPK1
Gene Description	mitogen-activated protein kinase 8
Omim ID	601158
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates im mediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-n ecrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochromic-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that the is kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq
Other Designations	JNK1 alpha protein kinase JNK1 beta protein kinase JUN N-terminal kinase OTTHUMP0000001 9552 OTTHUMP00000019555 OTTHUMP00000019556 OTTHUMP00000019558 c-Jun N-terminal kinase 1 mitogen-activated protein kinase 8 isoform JNK1 alpha1 mitogen-activated protein

Pathway

- Adipocytokine signaling pathway
- Colorectal cancer
- Epithelial cell signaling in Helicobacter pylori infection
- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- Focal adhesion
- GnRH signaling pathway
- Insulin signaling pathway
- MAPK signaling pathway



- Neurotrophin signaling pathway
- Pancreatic cancer
- Pathways in cancer
- Toll-like receptor signaling pathway
- Type II diabetes mellitus
- Wnt signaling pathway

Disease

- Breast cancer
- Breast Neoplasms
- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- HIV Infections