


4-Hydroxy-2-hexenal monoclonal antibody, clone 6F10 (ATTO 390)


Catalog # MAB19269 Size 100 ug

Applications



Immunocytochemistry

Immunocytochemical staining of HEK293 with 4-Hydroxy-2-hexenal monoclonal antibody, clone 6F10 (ATTO 390) (Cat # MAB19269). (A, B) DAPI (blue) nuclear stain. (C, D) Phalloidin Alex Fluor 633 F-Actin stain. (E, F) 4-Hydroxy-2-hexenal Antibody. (G, H) Composite. (A,C,E,G) Untreated and (B,D,F,H) Cells cultured overnight with 50 uM H2O2.



Flow Cytometry

Flow cytometric analysis of SH-SY5Y with 4-Hydroxy-2-hexenal monoclonal antibody, clone 6F10 (ATTO 390) (Cat # MAB19269).



Specification	
Product Description	Mouse monoclonal antibody raised against synthetic 4-Hydroxy-2-hexenal (4-HHE).
Immunogen	Synthetic 4-Hydroxy-2-hexenal modified Keyhole Limpet Hemocyanin (KLH).
Host	Mouse
Form	Liquid
Conjugation	ATTO 390
Purification	Protein G purification
Isotype	lgG2b
Recommend Usage	ELISA (1:1000) Flow Cytometry (1:50) Immunocytochemistry (1:50) Immunofluorescence (1:50) Western Blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (50% glycerol, 0.09% sodium azide).
Storage Instruction	Store at -20°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Western Blot
- Immunocytochemistry

Immunocytochemical staining of HEK293 with 4-Hydroxy-2-hexenal monoclonal antibody, clone 6F10 (ATTO 390) (Cat # MAB19269). (A, B) DAPI (blue) nuclear stain. (C, D) Phalloidin Alex Fluor 633 F-Actin stain. (E, F) 4-Hydroxy-2-hexenal Antibody. (G, H) Composite. (A,C,E,G) Untreated and (B,D,F,H) Cells cultured overnight with 50 uM H2O2.

- Immunofluorescence
- Enzyme-linked Immunoabsorbent Assay



Product Information

Flow Cytometry

Flow cytometric analysis of SH-SY5Y with 4-Hydroxy-2-hexenal monoclonal antibody, clone 6F10 (ATTO 390) (Cat # MAB19269).