P2RY13 polyclonal antibody

Catalog # PAB26458 Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical (Formalin/PFA-fixed paraffin-embedded sections) staining in human spleen with P2RY13 polyclonal antibody (Cat # PAB26458). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heatinduced antigen retrieval.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of P2RY13.
Immunogen	A synthetic peptide corresponding to 16 amino acids at 2nd extracellular domain of human P2RY13.
Host	Rabbit
Reactivity	Bovine, Human, Monkey, Pig, Rabbit
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (8-11 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

😵 Abnova

Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical (Formalin/PFA-fixed paraffin-embedded sections) staining in human spleen with P2RY13 polyclonal antibody (Cat # PAB26458). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Gene Info — P2RY13	
Entrez GenelD	<u>53829</u>
Protein Accession#	Q9BPV8
Gene Name	P2RY13
Gene Alias	FKSG77, GPCR1, GPR86, GPR94, P2Y13, SP174
Gene Description	purinergic receptor P2Y, G-protein coupled, 13
Omim ID	<u>606380</u>
Gene Ontology	Hyperlink
Gene Summary	The product of this gene belongs to the family of G-protein coupled receptors. This family has sev eral receptor subtypes with different pharmacological selectivity, which overlaps in some cases, f or various adenosine and uridine nucleotides. This receptor is activated by ADP. [provided by Ref Seq
Other Designations	G protein-coupled receptor 86 G-protein coupled receptor 94 P2Y purinoceptor 13

Pathway

<u>Neuroactive ligand-receptor interaction</u>

Disease

<u>Cardiovascular Diseases</u>

🖗 Abnova

Product Information

- Diabetes Mellitus
- Edema