

FIGF rabbit monoclonal antibody

Catalog # H00002277-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human FIGF peptide using ARM Technology.
Immunogen	A synthetic peptide of human FIGF is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human FIGF peptide by ELISA and mammalian transfected lysate by West em Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — FIGF	
Entrez GenelD	<u>2277</u>
GeneBank Accession#	<u>FIGF</u>
Gene Name	FIGF
Gene Alias	VEGF-D, VEGFD
Gene Description	c-fos induced growth factor (vascular endothelial growth factor D)
Omim ID	<u>300091</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the platelet-derived growth factor/vascular endo thelial growth factor (PDGF/VEGF) family and is active in angiogenesis, lymphangiogenesis, and endothelial cell growth. This secreted protein undergoes a complex proteolytic maturation, genera ting multiple processed forms which bind and activate VEGFR-2 and VEGFR-3 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor C. [provided by RefSeq
Other Designations	OTTHUMP00000022960 vascular endothelial growth factor D

Pathway

- Bladder cancer
- Cytokine-cytokine receptor interaction
- Focal adhesion
- mTOR signaling pathway
- Pancreatic cancer
- Pathways in cancer
- Renal cell carcinoma

Disease



- Chorioamnionitis
- Fetal Membranes
- Genetic Predisposition to Disease
- Lymphedema
- Obstetric Labor
- Pre-Eclampsia
- Premature Birth
- Thyroid Neoplasms