

FKBP4 monoclonal antibody, clone Hi52C (PerCP)

Catalog # MAB11387 Size 100 ug

Applications

Application Data with Unconjugated Antibody

Immunohistochemistry

Immunohistochemical staining of human prostate tissue with FKBP4 monoclonal antibody, clone Hi52C (Cat # MAB11372) shows the strongest staining for FKBP4 is in ductal epithelial cells.

Specification	
Product Description	Mouse monoclonal antibody raised against synthetic peptide of FKBP4.
Immunogen	A synthetic peptide corresponding to residues of human FKBP4.
Host	Mouse
Reactivity	Dog, Hamster, Human, Mouse, Rat
Form	Liquid
Conjugation	PerCP
Purification	Protein G purification
Isotype	lgG
Recommend Usage	Western Blot (1:2000) Immunohistochemistry (1:250) Immunoprecipitation (5 ug with 10-20 uL Protein A beads) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (50% glycerol, 0.09% sodium azide)
Storage Instruction	Store at 4°C. Aliquot to avoid repeated freezing and thawing.



Product Information

Note Application Data with Unconjugated Antibody

Immunohistochemistry

 $Immun ohistochemical\ staining\ of\ human\ prostate\ tissue\ with\ FKBP4\ monoclonal\ antibody,\ clone\ Hi5$

2C (Cat # MAB11372) shows the strongest staining for FKBP4 is in ductal epithelial cells.

Applications

- Western Blot
- Immunohistochemistry
- Immunoprecipitation

Gene Info — FKBP4	
Entrez GenelD	2288
Protein Accession#	NP_002005.1
Gene Name	FKBP4
Gene Alias	FKBP52, FKBP59, HBI, Hsp56, PPlase, p52
Gene Description	FK506 binding protein 4, 59kDa
Omim ID	600611
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the immunophilin protein family, which play a rol e in immunoregulation and basic cellular processes involving protein folding and trafficking. This e ncoded protein is a cis-trans prolyl isomerase that binds to the immunosuppressants FK506 and r apamycin. It has high structural and functional similarity to FK506-binding protein 1A (FKBP1A), b ut unlike FKBP1A, this protein does not have immunosuppressant activity when complexed with FK506. It interacts with interferon regulatory factor-4 and plays an important role in immunoregulato ry gene expression in B and T lymphocytes. This encoded protein is known to associate with phyt anoyl-CoA alpha-hydroxylase. It can also associate with two heat shock proteins (hsp90 and hsp70) and thus may play a role in the intracellular trafficking of hetero-oligomeric forms of the steroid hormone receptors. This protein correlates strongly with adeno-associated virus type 2 vectors (AAV) resulting in a significant increase in AAV-mediated transgene expression in human cell lines. Thus this encoded protein is thought to have important implications for the optimal use of AAV vectors in human gene therapy. The human genome contains several non-transcribed pseudogenes si milar to this gene. [provided by RefSeq



Product Information

Other Designations

52 kD FK506 binding protein|FK506 binding protein 4 (59kD)|FK506 binding protein 52|FK506-binding protein 4 (59kD)|HSP binding immunophilin|T-cell FK506-binding protein, 59kD|p59 protein|peptidylprolyl cis-trans isomerase|rotamase

Disease

- Asthma
- Genetic Predisposition to Disease
- Glaucoma
- Hypospadias
- Syndrome