
Ptprc monoclonal antibody, clone RA3-6B2 (Cy5)

Catalog # MAB5726 Size 100 ug

Applications



Flow Cytometry

Cells from BALB/c mesenteric lymph nodes were double-stained with Ptprc monoclonal antibody, clone RA3-6B2 (FITC) (Cat # MAB5720) and Cd3e monoclonal antibody, clone C363.29B (FITC) (Cat # MAB6100). Small lymphocytes were then gated and analyzed on a FACScan[™] flow cytometer (BDIS, San Jose, CA).

Specification	
Product Description	Rat monoclonal antibody raised against Ptprc.
Immunogen	Abelson murine leukemia virus-induced pre-B tumor cells.
Host	Rat
Reactivity	Mouse
Specificity	B220 isoform of CD45, Mr 240 KDa.
Form	Liquid
Conjugation	Cy5
Isotype	lgG2a, kappa
Recommend Usage	Flow Cytometry (0.2 ug/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)

😚 Abnova	Product Information
Storage Instruction	Store in the dark at 4°C. Do not freeze. Avoid prolonged exposure to light. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunoprecipitation
- Flow Cytometry

Cells from BALB/c mesenteric lymph nodes were double-stained with Ptprc monoclonal antibody, clone RA3-6B2 (FITC) (Cat # MAB5720) and Cd3e monoclonal antibody, clone C363.29B (FITC) (Cat # MAB6100). Small lymphocytes were then gated and analyzed on a FACScan[™] flow cytometer (BDIS, San Jose, CA).

Gene Info — Ptprc

Entrez GenelD	<u>19264</u>
Gene Name	Ptprc
Gene Alias	B220, CD45R, Cd45, Ly-5, Lyt-4, T200, loc
Gene Description	protein tyrosine phosphatase, receptor type, C
Gene Ontology	<u>Hyperlink</u>
Gene Summary	receptor type
Other Designations	lymphocyte common antigen

Publication Reference

• Activation signal induces the expression of B cell-specific CD45R epitope (6B2) on murine T cells.

Watanabe Y, Akaike T.

Scandinavian Journal of Immunology 1994 May; 39(5):419.

• Resolution and characterization of pro-B and pre-pro-B cell stages in normal mouse bone marrow.

Hardy RR, Carmack CE, Shinton SA, Kemp JD, Hayakawa K.

The Journal of Experimental Medicine 1991 May; 173(5):1213.

• Lymphokine-activated killer (LAK) cells. IV. Characterization of murine LAK effector subpopulations.

Ballas ZK, Rasmussen W.

Journal of Immunology 1990 Jan; 144(1):386.

Application: Flow Cyt, Mouse, Mouse splenocytes