


CREB1 polyclonal antibody

Catalog # PAB18462 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of extracts from HeLa cells, treated with UV (15 mins), using CREB1 polyclonal antibody (Cat # PAB18462).

Peptide "+" means "peptide blocking".

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CREB1.
Immunogen	A synthetic peptide corresponding to residues surrounding S129 of human CREB1.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Specificity	This antibody is specific to CREB1.
Form	Liquid
Purification	Affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) Immunohistochemistry (1:50-1:100) ELISA (1:10000) The optimal working dilution should be determined by the end user.

Storage Buffer	In PBS, 150mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of extracts from HeLa cells, treated with UV (15 mins), using CREB1 polyclonal antibody (Cat # PAB18462).

Peptide "+" means "peptide blocking".

- Immunohistochemistry

- Enzyme-linked Immunoabsorbent Assay

Gene Info — CREB1

Entrez GeneID	1385
Protein Accession#	P16220
Gene Name	CREB1
Gene Alias	CREB, MGC9284
Gene Description	cAMP responsive element binding protein 1
Omim ID	123810
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a transcription factor that is a member of the leucine zipper family of DNA binding proteins. This protein binds as a homodimer to the cAMP-responsive element, an octameric palindrome. The protein is phosphorylated by several protein kinases, and induces transcription of genes in response to hormonal stimulation of the cAMP pathway. Alternate splicing of this gene results in two transcript variants encoding different isoforms. [provided by RefSeq]
Other Designations	active transcription factor CREB cAMP-response element-binding protein-1 transactivator protein

Publication Reference

- [Rac1 inhibits apoptosis in human lymphoma cells by stimulating Bad phosphorylation on Ser-75.](#)

Zhang B, Zhang Y, Shacter E.

Molecular and Cellular Biology 2004 Jul; 24(14):6205.

- [Sulindac sulfide inhibits epidermal growth factor-induced phosphorylation of extracellular-regulated kinase 1/2 and Bad in human colon cancer cells.](#)

Rice PL, Washington M, Schleman S, Beard KS, Driggers LJ, Ahnen DJ.

Cancer Research 2003 Feb; 63(3):616.

- [Inhibition of integrin-linked kinase/protein kinase B/Akt signaling: mechanism for ganglioside-induced apoptosis.](#)

Wang XQ, Sun P, Paller AS.

The Journal of Biological Chemistry 2001 Sep; 276(48):44504.

Pathway

- [Antigen processing and presentation](#)
- [Melanogenesis](#)
- [Prostate cancer](#)

Disease

- [Alcoholism](#)
- [Alzheimer disease](#)
- [Anorexia Nervosa](#)
- [Arousal](#)
- [Asthma](#)
- [Avoidance Learning](#)
- [Bipolar Disorder](#)

- [Bulimia](#)
- [Cardiovascular Diseases](#)
- [Choice Behavior](#)
- [Cognition](#)
- [Depressive Disorder](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Dominance](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Inflammation](#)
- [Lymphoma](#)
- [Memory](#)
- [Metabolic Syndrome X](#)
- [Mood Disorders](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Pattern Recognition](#)
- [Personality Inventory](#)
- [Psychiatric Status Rating Scales](#)
- [Psychomotor Performance](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Sleep Disorders](#)
- [Weight Gain](#)