


# ACTG1 monoclonal antibody (M01), clone 1G6


Catalog # H00000071-M01 Size 100 ug

## **Applications**



## Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged ACTG1 is 1 ng/ml as a capture antibody.



### In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between VASP and ACTG1. HeLa cells were stained with anti-VASP rabbit purified polyclonal 1:1200 and anti-ACTG1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Specification	
Product Description	Mouse monoclonal antibody raised against a full length recombinant ACTG1.
lmmunogen	ACTG1 (AAH53572, 1 a.a. $\sim$ 375 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MEEEIAALVIDNGSGMCKAGFAGDDAPRAVFPSIVGRPRHQGVMVGMGQKDSYVGDEAQSKRG ILTLKYPIEHGIVTNWDDMEKIWHHTFYNELRVAPEEHPVLLTEAPLNPKANREKMTQIMFETFNTP AMYVAIQAVLSLYASGRTTGIVMDSGDGVTHTVPIYEGYALPHAILRLDLAGRDLTDYLMKILTERGY SFTTTAEREIVRDIKEKLCYVALDFEQEMATAASSSSLEKSYELPDGQVITIGNERFRCPEALFQPS FLGMESCGIHETTFNSIMKCDVDIRKDLYANTVLSGGTTMYPGIADRMQKEITALAPSTMKIKIIAPPE RKYSVWIGGSILASLSTFQQMWISKQEYDESGPSIVHRKCF
Host	Mouse



## **Product Information**

Reactivity	Human
Isotype	lgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## **Applications**

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged ACTG1 is 1 ng/ml as a capture antibody.

**Protocol Download** 

- ELISA
- In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between VASP and ACTG1. HeLa cells were stained with anti-VASP rabbit purified polyclonal 1:1200 and anti-ACTG1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Info — ACTG1	
Entrez GeneID	<u>71</u>
GeneBank Accession#	BC053572
Protein Accession#	<u>AAH53572</u>
Gene Name	ACTG1
Gene Alias	ACT, ACTG, DFNA20, DFNA26
Gene Description	actin, gamma 1
Omim ID	<u>102560</u> <u>604717</u>
Gene Ontology	<u>Hyperlink</u>



#### **Product Information**

#### **Gene Summary**

Actins are highly conserved proteins that are involved in various types of cell motility, and mainten ance of the cytoskeleton. In vertebrates, three main groups of actin isoforms, alpha, beta and gam ma have been identified. The alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. The beta and gamma actins co-exist in most cell types as component s of the cytoskeleton, and as mediators of internal cell motility. Actin, gamma 1, encoded by this g ene, is a cytoplasmic actin found in nonmuscle cells. [provided by RefSeq

#### **Other Designations**

actin, cytoplasmic 2|actin, gamma 1 propeptide|cytoskeletal gamma-actin

## **Publication Reference**

In-depth analysis of cysteine oxidation by the RBC proteome: Advantage of peroxiredoxin II knockout mice.

Yang HY, Kwon J, Choi HI, Park SH, Yang U, Park HR, Ren L, Chung KJ, U Kim Y, Park BJ, Jeong SH, Lee TH. Proteomics 2012 Jan; 12(1):101.

Application: WB, Beads

## **Pathway**

- Adherens junction
- Arrhythmogenic right ventricular cardiomyopathy (ARVC)
- Focal adhesion
- Hypertrophic cardiomyopathy (HCM)
- Leukocyte transendothelial migration
- Pathogenic Escherichia coli infection EHEC
- Regulation of actin cytoskeleton
- Tight junction
- Vibrio cholerae infection